Ather scooter specifications.

Performance	Ather 450X	Ather 450X
Power (peak)	6.4 kW	6.4 kW
Max torque	26 Nm	26 Nm
Top speed (indicated)	90 km/h	90 km/h
Acceleration (0-40 km/h)	3.3 s	3.3 s
Gradeability	20 degrees	20 degrees
Riding modes	Default	Warp Sport Ride Eco SmartEco
Motor type	PMSM	PMSM
Ingress protection (motor)	IP66	IP66
Ingress protection (controller)	IP65	IP65
Range		
TrueRange [®] (Eco)	-	105 km
TrueRange [®] (Ride)	-	85 km
TrueRange [®] (Sport)	-	75 km
TrueRange [®] (Warp)	-	65 km
Certified range'	146 km	146 km
Charging		
Home charging		
0-80% (Home charging) ²	12 h 15 min	4 h 30 min
0-100% (Home charging) ²	15 h 20 min	5 h 40 min
Ather Grid access	-	Yes
Fast charging rate (0-50% SOC)	-	1.5 km/min
Fast charging rate (50-80% SOC)	-	1 km/min

Battery

Installed capacity	3.7 kWh
Battery type	Lithium-ion
Nominal voltage	51.1V
Water & dust resistance	IP67
Pack casing	Aluminum alloy

Transmission

Type Transmission ratio Belt drive 7.8:1

Tyres & wheels

Ather 450X

Ather 450X

Wheel type

Wheel size (front) Wheel size (rear) Tyre size (front) Tyre size (rear)

Brakes

Braking system Brake type (front) Brake type (rear) Disc size (front) Disc size (rear) Braking distance (60-0 km/h)

Alloy wheels 12" x 2.15" 12" x 2.5" 90/90-12 tubeless tyres 100/80-12 tubeless tyres

Combined braking system & regenerative braking Hydraulically actuated triple-piston calliper disc Hydraulically actuated single-piston calliper disc 200 mm 190 mm 28.6 m

Suspension & frame

Front suspension	Telescopic forks	
Rear suspension	Symmetrically mounted progressive monoshock	
Frame type	Precision machined hybrid chassis	
Frame materials	Aluminum and steel	

Peripherals & convenience

Headlights	LED	LED	
Tailights	LED	LED	
Indicators	LED	LED	
Side stand motor cut-off	Yes	Yes	
Boot storage	22L	22L	
Pillion grab handle	Aluminium	Aluminium	
Park assist	No	Yes	
Hill assist	-	Auto Hold™	

Colours

All colours

Space Grey, Still White, Salt Green, True Red, Cosmic Black, Lunar Grey

Dimensions & storage

Length	1837 mm
Width	734 mm
Height (with mirrors)	1250 mm
Wheelbase	1295 mm
Ground clearance	153 mm
Seatheight	780 mm
Kerb weight	111.6 kg
F:R weight ratio	48:52
Water wading limit	300 mm

Ather 450X 🗲 With Pro Pack

Processor	Snapdragon 212 Quadcore 1.3Ghz	
Storage	16GB	
RAM	2GB	
Operating system	Android Open Source OS (AOSP)	
Screen size & type	7 inch TFT touchscreen LCD, LED backlit	
Touchscreen type	Capacitive	
Resolution	800 x 480 pixels	
Colours	16M	
Brightness	800 Nits	
Aspect ratio	5:3	
Water & dust resistance	IP65	

Smart features

Dashboard UI	Grey scale	Multi colour
4G LTE Cat-4 /WCDMA / EDGE	No	Yes
Bluetooth 4.2	No	Yes
Music & calls	No	Yes
Auto indicator off	No	Yes
Guide-me-home light	No	Yes
Time based adaptive screen brightness & themes	No	Yes

Warranty

Vehicle & charger warranty	3 years/30,0	3 years/30,000 km	
Battery warranty	3 years/30,000 kms	5 years/60,000 kms	

Accessories compatibility

TPMS	No	Yes	
Side step	Yes	Yes	
Helmet	Yes	Yes	
Frunk	Yes	Yes	

Ather connect features*

On-board maps & navigation	No	Yes
Document storage	Νο	Yes
Connected mobile app	Νο	Yes
Over-the-air dashboard updates	Νο	Yes
Ride statistics on the Ather app	Νο	Yes
Remote location tracking	Νο	Yes
Remote charge monitoring	Νο	Yes
Push location from Ather app	Νο	Yes
Multi-stop Trip Planner	Νο	Yes

www.atherenergy.com

ck is an optional add-on for customer for purc marks are the property of their respective ow te features without prior notice and without lial Conditions, actual perform an various conditions including driving pattern al conditions. Actual performance figures may